

File No: SIA/MH/INFRA2/500571/2024

Government of India

Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)





Dated 20/08/2025



To,

Mr Rishi Todi

Shraddha shelters private limited

F/1133 to F/1136, village Bandra, Jarimari Road, Bandra West, Mumbai - 400 050, MUMBAI

SUBURBAN, MAHARASHTRA, 400050

suresh.khopade@transcon.in

(vii) Name of Project

Subject:

Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Proposed Redevelopment of Reg. 33(7)(A)of DCPR 2034 on plot bearing CTS No. F-1133 to F-1136 (New CTS No. 1133A & 1133 B) Village Bandra at the junction of S.V. Road and Jari Mari Mandir Road, Bandra(W), Mumbai in H/West ward by M/s. Shraddha Shelters Private Limited submitted to Ministry vide proposal number SIA/MH/INFRA2/500571/2024 dated 19/10/2024.

2. The particulars of the proposal are as below:

(i) EC Identification No. EC24C3801MH5218405N
(ii) File No. SIA/MH/INFRA2/500571/2024

(iii) Clearance Type EC (iv) Category B2

(v) Project/Activity Included Schedule No. 8(a) Building / Construction

Proposed Redevelopment of Reg. 33(7)(A)of DCPR 2034 on plot bearing CTS No. F-1133 to F-1136 (New CTS No. 1133A & 1133 B) Village Bandra at the junction of S.V. Road and Jari Mari Mandir Road, Bandra(W), Mumbai in H/West

ward by M/s. Shraddha Shelters Private Limited
Shraddha shelters private limited

(viii) Name of Company/Organization Shraddha shelters private limite (ix) Location of Project (District, State) MUMBAI, MAHARASHTRA

(x) Issuing AuthoritySEIAA(xi) Applicability of General Conditionsno(xii) Applicability of Specific Conditionsno

Plot/Survey Khasra Nos.:

- 3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact AssessmentAuthority(SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.
- 4. The above-mentioned proposal has been considered by State Environment Impact AssessmentAuthority(SEIAA) Appraisal Committee of SEIAA in the meeting held on 30/07/2025. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
- 5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
- 6. The SEIAA, in its meeting held on 30/07/2025, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
- 7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact AssessmentAuthority(SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. Mr Rishi Todi under the provisions of EIA Notification, 2006 and as amended thereof.
- 8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
- 9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
- 10. This issues with the approval of the Competent Authority.

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Specific Condition

S. No	EC Conditions					
	During d	iscussion following points emerged:				
	Sr. No.	Conditions				
1.1	1	PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra showing all required RG area as per prevailing Hon'ble Supreme Court Order.				
	2	PP to submit an undertaking signed by PP, Consultant and architect certifying that there is no violation of requirement of EIA notification 2006, amended from time to time				
	3 PP to obtained revised (i) Storm Water Drain NOC					
	4	PP to complete tree plantation within the site during construction phase.				
	5	PP to dispose all e-waste as per E-Waste Management Rules, 2016 and 2022 amended				

S. No	EC Conditions
	from time to time.

Annexure 2

Details of Products & By-products

Building Configuration	Name of the product /By- product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
Existing wing B to retain: St 7th flo (Ht 23.95m), Proposed Wing C Basement level Robotic G parking Services with 12.95m) Gr + floor (sho + 2nd to floor (presidentia part)	FSI Area	FSI Area	16646.2	sa m	Road	
Building Configuration Building Configuration	221200	1011110	100.0.2	94	-1010	
8th to 1 residential floors fitness centre terrace flo (height top terrace 60.98 mt	FSI Area	FSI Area	16646.2	sq.m	Road	rumber) Proposed FSI Area Existing wing B to be retain: St. + 7th floors (Ht 23.95m), Proposed Wing C - Basement (4 level Robotic Car parking & Services with - 12.95m) + Gr + 1st floor (shops) + 2nd to 7th floor (part residential / part parking) + 8th to 18th residential floors + fitness centre on terrace floor (height till top of

Name of the product /By- product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
					(Ht – 72.70m) + Mechanize Parking
Non -FSI Area	Non -FSI Area	8955.68	sq.m		Proposed Non -FSI Area
Total Construction Area	Total Construction Area	25601.88	sq.m	Road	Proposed Total Construction Area



SIA/MH/INFRA2/500571/2024 Page 4 of 14

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/500571/2024 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s. Shraddha Shelters Private Limited, CTS No. F-1133 to F-1136 (New CTS No. 1133A & 1133 B) Bandra(W), Mumbai.

Subject: Environmental Clearance for Proposed Redevelopment of Reg.

33(7)(A)of DCPR 2034 on plot bearing CTS No. F-1133 to F-1136 (New CTS No. 1133A & 1133 B) Village Bandra at the junction of S.V. Road and Jari Mari Mandir Road, Bandra(W), Mumbai in H/West ward by

M/s. Shraddha Shelters Private Limited

Reference: Application no. SIA/MH/INFRA2/500571/2024

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 234th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 299th (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 30th July, 2025.

2. Brief Information of the project submitted by you is as below:-

Sr.	Description	Details
No.		
1	Whether the project falls within 5km	
	of any protected area notified under	
	Wildlife (Protection) Act, 1972,	
	Critically Polluted Areas and	
	Severely Polluted Areas as identified	No
	by the CPCB, Eco sensitive areas	
	notified under Section 3(2) of	
	Environment (Protection) Act,1896	
	as per Hon'ble National Green	
	Tribunal order dated 9th August 2024	
2	Proposal Number	SIA/MH/INFRA2/500571/2024
3	Name of Project	Proposed Redevelopment of Reg. 33(7) (A) & 20 (B) of
		DCPR 2034 on plot bearing CTS No. F – 1133 to F –
		1136 (New CTS No. 1133A & 1133B) village Bandra at
		the junction of S.V. Road and Jari Mari Mandir Road,
		Bandra (W), Mumbai in H/West ward. Proposed By M/s.

				Shraddha Shelter Private Limited.					
			-						
	During to the			9(a) P2					
4	Project catego			8(a), B2 Private					
5	Type of Instit			Name M/s, Shraddha Shelter Private Limited					
6	Project Propo	onent							
0		Regd. F/1133 TO F/1136, (New Office 1133B) Village Bandra, Jarin							
			12 June 1990	address	(West), Mumbai - 400 0		Road, Ballura		
				Contact	9867555645				
				number	7607333073				
				e-mail	suresh.khopade@transco	on.in			
7				500	nviro Analysts and Engine	1.00	ate Limited		
'					Accreditation number: NA				
				0355		griff" Es			
					19 June 2027				
8	Applied for			and the first of the particular of	sh Project				
9	Location of the	he project		1.00	ing CTS No. F - 1133 to	6590 5 900 5			
				25 and 100 200 May 1	BA & 1133B) village Bar	777-6 36.4	=		
				S.V. Road and Jari Mari Mandir Road, Bandra (W),					
				Mumbai					
10	Latitude and	Longitude		Latitude: 19° 3'22.61"N Longitude: 72°50'10.95"E					
11	Plot Area (Sq			Longitude: 72°50'10.95"E 4274.20					
12	Deductions (S			411.2					
13	Net Plot area			3863.00					
14		rerage (m ²) & % 1540.33							
15	FSI Area (Sq	<u> </u>		16646.20					
16	Non-FSI (Sq.			8955.68					
17	No. 1	ilt-up area (FS	I + Non-	25601.88					
1,	FSI) (Sq.m.)	in-up aica (15	1 1 14011	25001.00					
18		approved by Pl	anning	Concessi	on plan dated: 08	.05.2024.	File no.		
	Authority till		6	Lightin David State (1995) A	/WS/AH, FSI Area 16646				
19	Earlier EC		h Total	NA	and the second s	-			
	Construction			SK-Fran					
20		completed as p	er earlier	NA, This	s is a fresh proposal for E	C but the	construction		
	1	on FSI) (Sq.m.)	65 485 753	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1.	15594.75 sq.m is carried				
				potential was below 20,000 sq.m.					
21	Previous E	C / Existing B	uilding]	Proposed Configuration		Reason for		
	Building	Configurati	Height	Buildin	Configuration	Heigh	Modificatio		
	Name	on	(m)	g		, t	n / Change		
				Name		(m)			
	- 1	St. + 7th		Wing B	St. + 7th floors (To be	23.95			
	Wing B	floors (To	23.95		retained)				
	1	be retained)							

	<u></u>							
			Wing D	Stilt + 1s		72.70	-	
				podium floo	r + 5th to			
		-		22nd upper	floors +			
				Mechanize P	arking		٠	
			Wing C	Basement	(4 level	60.98	_	
				Robotic Car	•			
					with -			
			· ·	12.95m) +				
				The ASSESSED TO THE SECOND SEC				
				floor (shops)				
				7th floor	~			
			e a profesionalite	residential	Thus a			
				parking) + 8				
				residential	floors +			
				fitness ce	nter on	V Sir.		
				terrace floor.		3 F 1		
22	No. of Tenements & Shop	os	Résident	s: 174 Nos,	Shops – 1	8 nos. Se	ociety Office,	
			fitness co	entre				
23	Total Population		1050 No	S				
24	Total Water Requirement	131 KLI						
			Domestic	e: 83 KLD, F	lushing: 4	3 KLD,	Landscape: 5	
			Life for the second of the	Domestic: 83 KLD, Flushing: 43 KLD, Landscape: 5 KLD, Swimming Pool: - 5 KLD				
25	Under Ground Tank (UG	Γ) location				C – Mai	phole at 1.5m	
			Wing D – Below Ground, Wing C – Manhole at 1.5m from ground					
26	Source of water		MCGM					
27	STP Capacity & Technology)OV		with capacity	of 80 KLD	for Wing	C & 50 KI D	
2,		'6J	2 STP's with capacity of 80 KLD for Wing C & 50 KLD for Wing D with MBBR technology					
28	STP Location	Aria de la Calendaria. Ariadoria	Wing C – Basement, Wing D – below ground					
29	Sewage Generation CM	D & % of	107 KLD, 35% of sewage discharge in the sewer line.					
29	sewage discharge in the s		107 KLD, 3370 of sewage discharge in the sewer fine.					
30			The	Ougantitus	Tunadana		anal .	
30	Solid Waste Managem Construction Phase	ent during	Type	Quantity	Treatme	nt / aispo	osai	
	Construction Phase			(Kg/day)	TT 111 1			
			Dry	10 kg/day	Will be	handed	over to a	
			waste		recycler	<u>a Miley</u>		
			Wet	15 kg/day	Handed	over to	o Municipal	
			waste	prišisti	waste co	llector		
			Constru	Topsoil	Nil	Being	a	
			ction			redevelo	opment	
		1	waste	Section 2		project		
				Demolition	8773		bris quantity	
				Waste	Cum	1	cum has been	
							ted as per	
							NOC dt.19th	
						[
)23. will be	
						_	the 1793 cum	
						quantity	in internal	

				г	
	·				plot and road
					development & As
			*		for Remaining
					debris, NOC will be
			٠		obtained
					subsequently.
	·		Empty	5765	To be handed over to
			cement bags	Nos.	local recyclers
	no Hail Taken	<i>9</i> 7.37.	Steel	1 MT	To be handed over to
		\$		ia, piase,	local recyclers
		::::::::::::::::::::::::::::::::::::::	Aggregates	5 MT	To be used as a layer
					for internal roads and
				N. 4.5	building boundary
					wall.
			Broken	240	Waste tiles to be used
			Tiles	Sq.m.	as china mosaic for terraces.
			Empty Paint	145	
			Cans (20	Nos.	To be handed over to
			liter / can)	1103.	recycler
31	Total Solid Waste Quantities with	Type	Quantity	Treatme	nt / disposal
31	type during Operation Phase &	туре	(Kg /Day)	Heatine	nt / disposar
	T 1.08 T 2.75,032 (8.0. 1979) 81				
	Capacity of OWC to be installed	Dry	182 kg/day	Inart mat	erial will be handed
	Capacity of OWC to be installed	Dry	182 kg/day	la a Yell A t	terial will be handed
	Capacity of OWC to be installed	Dry waste	182 kg/day	over to lo	ocal body & recyclable
	Capacity of OWC to be installed	Hala Cala Cala Cal	182 kg/day	over to lower will be so	ocal body & recyclable orted & handed over to
	Capacity of OWC to be installed	waste		over to lo will be so authorise	ocal body & recyclable orted & handed over to drecycler.
100	Capacity of OWC to be installed	waste	182 kg/day 235 kg/day	over to lo will be so authorise Compost	ocal body & recyclable orted & handed over to ed recycler.
ಯಂ	Capacity of OWC to be installed	waste		over to le will be se authorise Compost produced	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure I will be used at a site
, and	Capacity of OWC to be installed	waste Wet waste	235 kg/day	over to le will be se authorise Compost produced for lands	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure I will be used at a site caping
100	Capacity of OWC to be installed	waste		over to le will be se authorise Compost produced for lands Will be	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure I will be used at a site
	Capacity of OWC to be installed	waste Wet waste E-	235 kg/day 618 kg/ year	over to le will be se authorise Compost produced for lands Will be MPCB a	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure I will be used at a site caping collected and sent to
	Capacity of OWC to be installed	Wet waste E- Waste STP	235 kg/day 618 kg/	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sewa	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers. age sludge will be used
	Capacity of OWC to be installed	Wet waste E- Waste STP Sludge	235 kg/day 618 kg/ year	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sewa	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers.
		Wet waste E- Waste STP Sludge (dry)	235 kg/day 618 kg/ year 6 kg/day	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sews as manur	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers. age sludge will be used
32	R.G. Area in sq.m.	Wet waste E- Waste STP Sludge (dry) RG require	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 se	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sewa as manur	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers. age sludge will be used the for gardening.
32		Wet waste E- Waste STP Sludge (dry) RG requi	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 so	over to le will be se authorise Compost producec for lands Will be MPCB a Dry sews as manuar TEarth – 8	bocal body & recyclable orted & handed over to ed recycler. Ling by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers. Lage sludge will be used the for gardening.
32		Wet waste E- Waste STP Sludge (dry) RG requi RG prov Unpaved	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 seided on Mother	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sews as manuer q.m	ocal body & recyclable orted & handed over to ed recycler. ing by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers. age sludge will be used the for gardening. 82.60 sq.m 48.33 sq.m
32		Wet waste E- Waste STP Sludge (dry) RG requiration	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 solided on Mother RG on Mother G on Mother E	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sewa as manuary e.m. The Earth – 8 or Earth – 5 or Earth – 334	bocal body & recyclable orted & handed over to ed recycler. Ling by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers. Lage sludge will be used the for gardening. 82.60 sq.m 48.33 sq.m .27 sq.m (Service area
32		Wet waste E- Waste STP Sludge (dry) RG requi RG prov Unpaved Paved RG for STP-	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 seided on Mother RG on Mother G on Mother E – 35 sq.m in Pa	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sewa as manuary e.m. The Earth – 8 or Earth – 5 or Earth – 334	bocal body & recyclable orted & handed over to ed recycler. Ling by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers. Lage sludge will be used the for gardening. 82.60 sq.m 48.33 sq.m .27 sq.m (Service area
32		Wet waste E- Waste STP Sludge (dry) RG requi RG prov Unpaved Paved RG for STP- Total: 88	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 seided on Mother G on Mother G on Mother E – 35 sq.m in Pa 2.60 sq.m	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sews as manuar Earth – 8 r Earth – 5 arth – 334 aved RG 1	bocal body & recyclable orted & handed over to ed recycler. Ling by OWC- manure of will be used at a site caping collected and sent to outhorized recyclers. Lage sludge will be used the for gardening. 82.60 sq.m 48.33 sq.m .27 sq.m (Service area
32		Wet waste E- Waste STP Sludge (dry) RG requi RG prov Unpaved Paved RG for STP- Total: 88 RG prov	235 kg/day 618 kg/ year 6 kg/day ared – 772.60 seided on Mother RG on Mother G on Mother E – 35 sq.m in Pa 2.60 sq.m ided on the Pool	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sews as manuary as manuary as manuary as Earth – 8 arth – 334 aved RG 13 dium- NA	bocal body & recyclable orted & handed over to ed recycler. Ling by OWC- manure of will be used at a site caping collected and sent to uthorized recyclers. Lage sludge will be used the for gardening. 82.60 sq.m 48.33 sq.m .27 sq.m (Service area
32		Wet waste E- Waste STP Sludge (dry) RG requi RG prov Unpaved Paved RG for STP- Total: 88 RG prov Existing	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 seided on Mother G on Mother G on Mother 2.60 sq.m in Pa 2.60 sq.m ided on the Pootrees on the ple	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sew as manuar Earth – 8 arth – 334 aved RG 1 dium- NA ot: 25 Nos	bocal body & recyclable orted & handed over to ed recycler. Ling by OWC- manure of will be used at a site caping collected and sent to uthorized recyclers. Lage sludge will be used the for gardening. 82.60 sq.m 48.33 sq.m .27 sq.m (Service area
32		Wet waste E- Waste STP Sludge (dry) RG requi RG prov Unpaved Paved RG for STP- Total: 88 RG prov Existing Number	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 second on Mother G on Mother G on Mother 2.60 sq.m ided on the Poot trees on the plo of trees to be p	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sew as manuar Earth – 8 arth – 334 aved RG 1 dium- NA ot: 25 Nos	bocal body & recyclable orted & handed over to ed recycler. Ling by OWC- manure of will be used at a site caping collected and sent to uthorized recyclers. Lage sludge will be used the for gardening. 82.60 sq.m 48.33 sq.m .27 sq.m (Service area
32		Wet waste E- Waste STP Sludge (dry) RG requir RG prov Unpaved Paved RG for STP - Total: 88 RG prov Existing Number a) In RG	235 kg/day 618 kg/ year 6 kg/day ired – 772.60 selided on Mother G on Mother G on Mother E – 35 sq.m in Pa 2.60 sq.m ided on the Poot trees on the plo of trees to be p area: 20	over to le will be se authorise Compost produced for lands Will be MPCB a Dry sews as manuary as manuary as manuary as Earth – 8 arth – 334 aved RG 1 dium- NA ot: 25 Nos lanted:	bocal body & recyclable orted & handed over to ed recycler. Ling by OWC- manure of will be used at a site caping collected and sent to uthorized recyclers. Lage sludge will be used the for gardening. 82.60 sq.m 48.33 sq.m .27 sq.m (Service area

		42 nos of shrubs.				
		c) Trees to be planted on site: 20 Nos. + (126 tree + 42				
		nos of shrubs in Miyawaki)				
		Number of trees to be cut: 1 Nos				
		Number of trees to be retain: 24 Nos				
		Number of trees to be transplanted: 0 Nos	-			
		Total trees after development on site: 170 No	s (24 Nos.			
		Retained + 20newly proposed in RG/open spa	ace + 126			
		trees in Miyawaki + 42nos shrubs in Miyawa	ki)			
33	Power requirement	During Operation Phase:				
		Details ADANI				
		Connected load (kW) 1944.8 KW				
		Demand load (kW) 1155 KW				
34	Energy Efficiency	a) Total Energy saving (%): 21 % & 24%				
		b) Solar energy (%): 5 %, (58 W)				
35	D.G. set capacity	1 x 500 kVA				
36	No. of 4-W & 2-W Parking with 25% EV	 4-Wheelers – 247 Nos 2-Wheelers – 29 Nos 				
37	No. & capacity of Rainwater harvesting tanks /Pits	2 nos RWH tanks of 2 days holding capacity cum.	of total 44			
38	Project Cost in (Cr.)	Rs. 117.70 Cr				
39	EMP Cost	Construction Phase:				
		Capital cost: Rs. 31.8 Lakhs, Recurring cost: Lakhs/year	Rs. 35			
		Operation Phase:				
		Capital Cost: Rs. 341.35 Lakhs, O & M. cost: Rs. 43.3 Lakhs/year				
40	CER Details with justification if anyas per MoEF & CC circular dated 01/05/2018	It will be as per the OM dated 30th September 2020.				
41	Details of Court Cases/litigations w.r.t the project and project location, if any.	NA				

3. Proposal was considered by SEIAA in its 299th (Day-3) meeting held on 30th July, 2025 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra showing all required RG area as per prevailing Hon'ble Supreme Court Order.

- 2. PP to submit an undertaking signed by PP, Consultant and architect certifying that there is no violation of requirement of EIA notification 2006, amended from time to time
- 3. PP to obtained revised (i) Storm Water Drain NOC
- 4. PP to complete tree plantation within the site during construction phase.
- 5. PP to dispose all e-waste as per E-Waste Management Rules, 2016 and 2022 amended from time to time.

B. SEIAA Conditions-

- 1. PP has provided mandatory RG area of 772.60 m2 on mother earth without any construction. Local planning authority to ensure the compliance of the same.
- 2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. In view of Maharashtra Electric Vehicle Policy, 2025, PP to provide electric vehicle D. C. Charger for 20 % of total parking provided, the number of D. C. Chargers should be worked out as provided in Niti Ayog Handbook of EV charging infrastructure implementation.
- 5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- 6. SEIAA after deliberation decided to grant EC for-FSI-16646.20 m2, Non FSI-8955.68 m2, total BUA-25601.88 m2. (Plan approval No- CE/1782/WS/AH dated 08.05.2024).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.

- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)

 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.

- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient

location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and

- Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Jayashree Bhoj (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai Suburban.
- 6. Commissioner, Brihanmumbai Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.