

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:October 30, 2018

M/s. Sanjay Construction & Finance Pvt. Ltd.

at At C.T.S. No. 1695, 1695/1 to 2, 1696, 1696/1 to 23, 1697, 1697/1 to 5, 1698/1 to 6, 1699, 1699/1 to 4, 1700, 1700/1 to 6, 1701, 1701/1 to 10, 1702, 1702/1 to 9, 1703, 1703/1 to 8, 1704, 1704/1 to 8 & 1707 (pt) corresponding F.P. Nos. 94, 95, 96, 97, 98, 99, 100,101,102, 103 & 106 (pt) and 12.2 mt wide 1st T. P. road of TPS - VI of village Vile parle at Santacruz (w), Mumbai-400 054

Subject: Environment Clearance for Amendment in EC for project "Transcon Ramdev Plaza" at village Vile parle, Santacruz (w), Mumbai

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 68th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 142nd meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8 (B2) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	"Transcon Ramdev Plaza" SRA scheme at village Vile parle, Santacruz (w), Mumbai-400054		
2.Type of institution	Private		
3.Name of Project Proponent	M/s. Sanjay Construction & Finance Pvt. Ltd.		
4.Name of Consultant	M/s. Ultra-Tech		
5.Type of project	SRA Project		
6.New project/expansion in existing project/modernization/diversification in existing project	Amendment in existing project		
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	The project has received Environmental Clearance dt. 28.06.2016		
8.Location of the project	At C.T.S. No. 1695, 1695/1 to 2, 1696, 1696/1 to 23, 1697, 1697/1 to 5, 1698, 1698/1 to 6, 1699, 1699/1 to 4, 1700, 1700/1 to 6, 1701, 1701/1 to 10, 1702, 1702/1 to 9, 1703, 1703/1 to 8, 1704, 1704/1 to 8 & 1707 (pt) corresponding F.P. Nos. 94, 95, 96, 97, 98, 99, 100,101,102, 103 & 106 (pt) and 12.2 mt wide 1st T. P. road of TPS - VI of village Vile parle at Santacruz (w), Mumbai-400 054		
9.Taluka	Andheri		
10.Village	Vile parle		
Correspondence Name:	M/s. Sanjay Construction & Finance Pvt. Ltd.		
Room Number:	ulluluolitiu		
Floor:			
Building Name:			
Road/Street Name:	Plot no 94 to 103, 106(pt), PM Marg		
Locality:	Khotwadi, near Milan international hotel, Santacruz (w),		
City:	Mumbai - 400054		
11.Area of the project	Municipal Corporation of Greater Mumbai (M.C.G.M.)		
12.IOD/IOA/Concession/Plan	Received IOA dated 11.02.2015 & revised IOA on dated 16.05.2017. Received CC dated 11.08.2016 & revalidated on dated 13.06.2017		
Approval Number	IOD/IOA/Concession/Plan Approval Number: Approval No. SRA/ENG/2457/HW/PL & ML/ AP		
	Approved Built-up Area: 15678.74		
13.Note on the initiated work (If applicable)	Total constructed work (FSI+ Non FSI): Excavation & water tank RCC work is in progress		

SEIAA Meeting No: 142 Meeting Date: October 10, 2018 (SEIAA-STATEMENT-0000001632) SEIAA-MINUTES-0000000687 SEIAA-EC-0000000487 Shri Anil Diggika

| Shri. Anil Diggikar (Member Secretary | SEIAA)

14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Received LOI dated 11th April, 2017
15.Total Plot Area (sq. m.)	9,359.00 Sq. mt.
16.Deductions	1,316.09 Sq. mt.
17.Net Plot area	8,042.91 Sq. mt.
	FSI area (sq. m.): 22,198.91 Sq.mt.
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 17,207.72 Sq.mt.
1002 101,	Total BUA area (sq. m.): 39406.63
	Approved FSI area (sq. m.): 15,678.74 Sq.mt.
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 15,567.54 Sq.mt.
	Date of Approval: 16-05-2017
19.Total ground coverage (m2)	5,812.35 Sq.mt.
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	72%
21.Estimated cost of the project	638300000



			22.P	roduct	ion Details			
Serial Number	Proc	duct	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)		
1	Not app	olicable	Not app	plicable	Not applicable	Not applicable		
		2	3.Tota	l Wate	r Requirement			
		Source of	water	M.C.G.M				
		Fresh wate	er (CMD):	117 KLD				
		Recycled w Flushing (vater - CMD):	71 KLD				
		Recycled w Gardening		3 KLD				
		Swimming make up (pool Cum):	NA	M			
Dry season:		Total Wate Requirement:		191 KLD	TO T			
		Fire fighting Undergroutank(CMD)	nd water	350 KL				
		Fire fighting - Overhead water tank(CMD):		NA as hydro-pneumatic system is provided				
		Excess trea	ted water 75 KL					
		Source of	water	M.C.G.M / 1	Partly by RWH			
		Fresh water	er (CMD):	117 KLD				
		Recycled w Flushing (vater - CMD):	71 KLD				
		Recycled w Gardening	vater - (CMD):	NA		3		
		Swimming make up (pool Cum):	NA PARAMETER STATE OF THE STATE				
Wet season:	:	Total Wate Requirement:		188 KLD				
	Fire fighting Undergroutank(CMD)	nd water	350 KL					
		Fire fighting Overhead tank(CMD)	water	NA as hydro-pneumatic system is provided				
		Excess trea	ated water	78 KL				
Details of Sy pool (If any)	wimming)	NA	V		Hont	UI		

Maharashtra

Particula	Cons	sumption (C			Loss (CMD)			Effluent (CMD)				
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total			
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
		Level of th water table		0.5 mt. to 1	.0 mt. below	ground leve	.]					
		Size and natank(s) and Quantity:		1 RWH tank	k having cap	acity of 332	KL					
		Location o tank(s):	f the RWH	Below Lowe	er ground	111						
25.Rain V Harvestii		Quantity o pits:	f recharge	Nil a a	र्धिक	Vz.						
(RWH)	3	Size of recharge pits NA										
			Budgetary allocation (Capital cost): Rs. 36.20 Lacs									
		Budgetary allocation (O & M cost): Rs. 1.72 Lacs/annum										
		Details of if any:	UGT tanks	Location of UG tanks: Basement								
		H	-4	100			H					
		Natural wa drainage p	1361	The storm v	vater collect ll be dischar	ed through t ged into the	he storm wa external SW	ter drains of D.	adequate			
26.Storm drainage		Quantity o water:	f storm	0.19 m3/sec								
		Size of SW	D:	600 mm wide								
		4		Verie	Tour		5					
		Sewage ge in KLD:	neration	165 KLD								
			ology:	Moving Bed Bio Reactor (MBBR)								
27 Sover	27 Comment	Capacity o (CMD):	f STP	1 STP of capacity 237 KL								
27.Sewa Waste w	ater	Location & the STP:	area of	Lower Ground								
		Budgetary (Capital co	allocation st):	Rs. 62.35 L	acs		U					
			allocation st):	Rs. 10.65 Lacs/annum								

24.Details of Total water consumed

Maharashtra

	28.Solid waste Management					
Waste generation in	Waste generation:	Demolition debris has been disposed to Authorized landfill site.				
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	Construction waste material shall be partly recycled and remaining shall be disposed to the authorized land fill site with permission of M.C.G.M.				
	Dry waste:	333 kg/day				
	Wet waste:	222 kg/day				
Wasta ganaration	Hazardous waste:	NA				
Waste generation in the operation Phase:	Biomedical waste (If applicable):	NA				
	STP Sludge (Dry sludge):	25 kg/day				
	Others if any:	E-waste: 114 kg/ month				
	Dry waste:	To Authorized recyclers				
	Wet waste:	Treatment in OWC				
	Hazardous waste:	NA dalas				
Mode of Disposal of waste:	Biomedical waste (If applicable):	NA				
	STP Sludge (Dry sludge):	Use as manure				
	Others if any:	E-Waste will be stored separately and disposed through authorized recyclers				
	Location(s):	1st Basement				
Area requirement:	Area for the storage of waste & other material:	33 Sq. mt.				
	Area for machinery:	12 Sq. mt.				
Budgetary allocation	Capital cost:	Rs. 9.00 Lacs				
(Capital cost and O&M cost):	O & M cost:	Rs. 1.88 Lacs/annum				

	29.Effluent Charecterestics							
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)			
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
Amount of effluent generation (CMD):		Not applicable						
Capacity of the ETP:		Not applicable						
Amount of t recycled:	Amount of treated effluent recycled:		Not applicable					
Amount of v	vater send to the CETP:	Not applicable						
Membership of CETP (if require):		Not applicable						
Note on ETP technology to be used		Not applicable						
Disposal of	the ETP sludge	Not applica	ble	\\				



			30.Ha	zardous	Waste D	etails				
Serial Number	Descr	iption	Cat	UOM	Existing	Proposed	Total	Method of Disposal		
1	Not ap	plicable	Not applicable	Not applicable	Not applicable Not applicable		Not applicable	Not applicable		
			31.St	tacks em	ission Do	etails		•		
Serial Number	Section	& units		sed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases		
1	DG	Set		plicable	Not applicable	Not applicable	Not applicable	Not applicable		
			32.De	tails of I	uel to be	e used				
Serial Number	Тур	e of Fuel	M	Existing	HMIL	Proposed		Total		
1		HSD	5	Not applicabl	e 1	Not applicabl	.e	Not applicable		
Source of F		F		pplicable	18160		_			
Mode of Tra	ansportation	of fuel to sit	e Not a	pplicable	3/	30 V	\angle			
		B	7 92	00 =		97 /	2			
			0.	33.E	nergy	30	V-3			
		Source of participation supply:	power	Reliance Er	nergy	3	K			
		During Cor Phase: (De Load)	nstruction emand	100 KW		9	8			
		DG set as l back-up du construction	ıring	As per requirement						
		During Op phase (Cor load):	eration	4216 KW						
Pov require	ver ement:	During Op phase (Der load):	eration nand	2321 KW						
		Transform	er:							
		DG set as Power back-up during operation phase:		1 DG set of 630 kVA						
		Fuel used:	<u> </u>	Diesel	Diesel					
		Details of I tension lin through th any:	e passing	arnment of				ľ		
		34.Ene	rgy savi	ng by no	n-conver	ntional m	ethod:			
Use of LED	ng measure: lamps 's for Elevate	s for building		ar	as	ht	ra			
		3	6.Detail	calculati	ons & %	of savin	q:			
Serial Number	E	nergy Cons					Saving	%		
1		Overall	energy savir	ng			4 %			
					ion cont	rol Syste	ms			
Source	Ex	isting pollu					posed to be	e installed		
Sewage		Not	applicable				STP			
Solid waste		Not	applicable			Org	ganic Waste	Convertor		
Budgetary	allocation	Capital cos	st:	Solar Syste	m not propo	sed				
(Capitaľ O&M	cost and cost):	O & M cos			m not propos					
our cost).										

SEIAA Meeting No: 142 Meeting Date: October 10, 2018 (SEIAA-STATEMENT-0000001632) SEIAA-MINUTES-0000000687 SEIAA-EC-0000000487

Page 7 of 13 SE

Shri. Anil Diggikar (Member Secretary SEIAA)

38				etary Allocation
	<u>a)</u>	Construction pha	se (with Break-u	p):
Serial Number	Attributes	Parameter	Total Cost p	er annum (Rs. In Lacs)
1	Air Environment	Water for Dust Suppression		5.40
2	Air Environment	Air and Noise Monitoring: On site Sensors		12.50
3	Air Environment	Air and Noise Monitoring: By outside MoEF & CC Approved Laboratory		1.10
4	Water Environment	Drinking water analysis	Mr.	0.15
5	Land Environment	Site Sanitation		5.00
6	Health & Hygiene	Disinfection- Pest Control	fefor	6.00
7	Health & Hygiene	Health Check-up of workers	3/35	22.50
8	Cost towards Disaster Management	5" - 3	3	105.84
	b) Operation Phas	e (with Break-up):
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air Environment & Biological Environment	Cost for Gardening	3.54	1.20
2	Air Environment & Biological Environment	Cost for Ambient air & Noise Monitoring	No set up cost is involved	0.22
3	Air Environment & Biological Environment	Cost for DG Stack Exhaust Monitoring	No set up cost is involved	0.05
4	WATER ENVIRONMENT - Waste water treatment	Cost for sewage Treatment Plant	44.35	9.62
5	WATER ENVIRONMENT - Cost for water & waste water Monitoring	On site sensors	18.00	1.00
6	WATER ENVIRONMENT - Cost for water & waste water Monitoring	By outside MoEF & CC Approved Laboratory	No set up cost is involved	0.03
7	WATER ENVIRONMENT - Water Conservation (Rain Water Harvesting System)	Cost for RWH tanks	33.20	1.66
8	WATER ENVIRONMENT - Water Conservation (Rain Water Harvesting System)	Cost for treatment unit for Rain Water collected in tanks	3.00	0.01
9	WATER ENVIRONMENT - Water Conservation (Rain Water Harvesting System)	Cost for Rainwater Monitoring	No set up cost is involved	0.05
10	LAND ENVIRONMENT - Solid Waste Management	Cost for Treatment of biodegradable garbage in OWC	9.00	1.80

SEIAA Meeting No: 142 Meeting Date: October 10, 2018 (SEIAA-STATEMENT-0000001632)
SEIAA-MINUTES-0000000687
SEIAA-EC-0000000487

Page 8 of 13

11	LAND ENVIRONMENT - Solid Waste Management	Cost for Manure Monitoring	No set up cost is involved	0.08
12	DISASTER MANAGEMENT: Cost towards disaster management		835.96	2.98

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

40.Any Other Information

No Information Available



CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Sanjay Gandhi National Park: Approx. 8.00 km * NOC from Wild Life Board is Not Applicable as per final Notification reg. ESZ of SGNP published by MOEF & CC u/no. S.O.3645 (E) dated 05/12/2016 as our project site is not affected by the ESZ belt.
Category as per schedule of EIA Notification sheet	8 (B2)
Court cases pending if any	
Other Relevant Informations	
Have you previously submitted Application online on MOEF Website.	No Obt Oz
Date of online submission	Tadala of Section

3. The proposal has been considered by SEIAA in its 142nd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to submit certificate form Architect regarding" RG Area Calculation" with area statement & "No Construction Started" as per previous EC.
II	PP to submit & upload Aviation Authority Clearance.
III	PP to ensure that RG required is as per the norms and should be on Mother Earth.
IV	PP to submit & upload approved layout Plan.
V	PP to submit wind analysis.

General Conditions:

I	E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
П	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.

Shri. Anil Diggikar (Member Secretary SEIAA)

XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
xxxiv	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
VVVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXVIII	natural light, all and ventuation.

XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
LV	This EC is granted for: FSI area: 18619.78 m2, Non FSI area: 15700 m2 and Total BUA area: 34319.78 m2.

Maharashtra

Shri. Anil Diggikar (Member Secretary SEIAA)

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- **5.** SECRETARY MOEF & CC
- **6.** IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- 9. MUNICIPAL COMMISSIONER PUNE
- 10. MUNICIPAL COMMISSIONER SATARA
- 11. REGIONAL OFFICE MPCB PUNE
- 12. REGIONAL OFFICE MIDC PUNE
- 13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- **14.** COLLECTOR OFFICE PUNE
- 15. COLLECTOR OFFICE SATARA
- 16. COLLECTOR OFFICE SOLAPUR

Vlaharashtra